ELSEVIER

Brain Research 721 (1996) 238–239

BRAIN RESEARCH

Author Index

Barth, D.S., see Brett, B. (721) 155
Begnini, J., see De Mello, C.F. (721) 120
Behrends, S., see Kummer, W. (721) 191
Bernard, C., see Rossi, M.L. (721) 174
Bezin, L., see Ginovart, N. (721) 11
Billington, C.J., see Welch, C.C. (721) 126
Black, I.B., see Schaar, D.G. (721) 217
Boddeke, H.W.G.M., see Boeijinga, P.H. (721) 59
Boeijinga, P.H. and Boddeke, H.W.G.M.
Activation of 5-HT_{1B} receptors suppresses low but not high frequency synaptic transmission in the rat subicular cortex in vitro (721) 59
Brett, B., Krishnan, G. and Barth, D.S.
The effects of subcortical lesions on evoked potentials and spontaneous high frequency (gamma-band) oscillating potentials in rat auditory cortex (721) 155

Chan, J.Y.H., see Shih, C.-D. (721) 76
Chan, S.H.H., see Shih, C.-D. (721) 76
Chang, D.S., see Waikar, S.S. (721) 91
Coulter, D.A., see Vick, R.S. (721) 111
Cynader, M.S., see Yang, B. (721) 181

Da Costa, E.Jr.M., see De Mello, C.F. (721) 120
De Bastiani, J., see De Mello, C.F. (721) 120
DeLorenzo, R.J., see Vick, R.S. (721) 111
De Mello, C.F., Begnini, J., Jiménez-Bernal, R.E., Rubin, M.A., De Bastiani, J., Da Costa, E.Jr.M. and Wajner, M.
Intrastriatal methylmalonic acid administration induces rotational behavior and convulsions through glutamatergic mechanisms (721) 120
Dissanayake, S., see Smalheiser, N.R. (721) 39
Doležal, V., Huang, H.Y., Schobert, A. and Hertting, G.
3,4-Diaminopyridine masks the inhibition of noradrenaline release from chick sympathetic neurons via presynaptic α_2-adrenoceptors: insights into the role of N- and L-type calcium channels (721) 101
Dreyfus, C.F., see Schaar, D.G. (721) 217
Dun, E.C., Huang, R.L., Dun, S.L. and Dun, N.J.
Pituitary adenylate cyclase activating polypeptide-immunoreactivity in human spinal cord and dorsal root ganglia (721) 233

Dun, N.J., see Dun, E.C. (721) 233
Dun, S.L., see Dun, E.C. (721) 233

Elkabes, S., see Schaar, D.G. (721) 217

Ferrary, E., see Rossi, M.L. (721) 174
Fesce, R., see Rossi, M.L. (721) 174
Fischer, A., see Kummer, W. (721) 191
Fochtmann, L., see Francis, A. (721) 150
Francis, A. and Fochtmann, L.
Genetic variation in immediate and delayed postictal refractory period in rats (721) 150
Furuya, Y., see Kagaya, T. (721) 229

Gabriel, M., see Kubota, Y. (721) 22
Gagne, C., see Ginovart, N. (721) 11
Garcia, C., see Ginovart, N. (721) 11
Gibb, J.W., see Wagstaff, J.D. (721) 196
Ginovart, N., Marcel, D., Bezin, L., Garcia, C., Gagne, C., Pujol, J.F. and Weissmann, D.
Tyrosine hydroxylase expression within Balb/C and C57Black/6 mouse locus coeruleus. I. Topological organization and phenotypic plasticity of the enzyme-containing cell population (721) 11
Grace, M.K., see Welch, C.C. (721) 126

Hanson, G.R., see Wagstaff, J.D. (721) 196
Hashimoto, T., see Kagaya, T. (721) 229
Hertting, G., see Doležal, V. (721) 101
Hökfelt, T., see Ji, R.-R. (721) 167
Huang, H.Y., see Doležal, V. (721) 101
Huang, J.H., see Waikar, S.S. (721) 91
Huang, R.L., see Dun, E.C. (721) 233

Jakoi, E.R., see Vick, R.S. (721) 111
Ji, R.-R., Shi, T.-J., Xu, Z.-Q., Zhang, Q., Sakagami, H., Tsubochi, H., Kondo, H. and Hökfelt, T.
Ca^{2+}/calmodulin-dependent protein kinase type IV in dorsal root ganglion: colocalization with peptides, axonal transport and effect of axotomy (721) 167
Jiménez-Bernal, R.E., see De Mello, C.F. (721) 120
Jourdan, F., see Sallaz, M. (721) 66

Kagaya, T., Yonaga, M., Furuya, Y., Hashimoto, T., Kuroki, J. and Nishizawa, Y.
Dopamine D_3 agonists disrupt social behavior in rats (721) 229
Kang, E., see Kubota, Y. (721) 22
Kapil, A., see Smalheiser, N.R. (721) 39
Kim, E.-M., see Welch, C.C. (721) 126
Koesling, D., see Kummer, W. (721) 191
Kondo, H., see Ji, R.-R. (721) 167
Krishnan, G., see Brett, B. (721) 155
Kubota, Y., Wolske, M., Poremba, A., Kang, E. and Gabriel, M.
Stimulus-related and movement-related single-unit activity in rabbit cingulate cortex and limbic thalamus during performance of discriminative avoidance behavior (721) 22
Kummer, W., Behrends, S., Schwarzlmüller, T., Fischer, A. and Koesling, D.
Subunits of soluble guanylyl cyclase in rat and guinea-pig sensory ganglia (721) 191
Kuroki, J., see Kagaya, T. (721) 229

Lee, S., see Rivier, C. (721) 83
Levine, A.S., see Welch, C.C. (721) 126

Marcel, D., see Ginovart, N. (721) 11
Martini, A., see Rossi, M.L. (721) 174
Martini, M., see Rossi, M.L. (721) 174
Masukawa, L.M., Wang, H., O'Connor, M.J. and Uruno, K.
Prolonged field potentials evoked by 1 Hz stimulation in the dentate gyrus of temporal lobe epileptic human brain slices (721) 132
Miczek, K.A., see Tidey, J.W. (721) 140

Nishizawa, Y., see Kagaya, T. (721) 229

O'Connor, M.J., see Masukawa, L.M. (721) 132

Pelucchi, B., see Rossi, M.L. (721) 174
Poremba, A., see Kubota, Y. (721) 22
Pujol, J.F., see Ginovart, N. (721) 11

Rafiq, A., see Vick, R.S. (721) 111
Ramakrishnan, L., see Schaar, D.G. (721) 217
Raymond, S.A., see Waikar, S.S. (721) 91
Rivier, C., Rivier, J. and Lee, S.
Importance of pituitary and brain receptors for corticotrophin-releasing factor in modulating alcohol-induced ACTH secretion in the rat (721) 83
Rivier, J., see Rivier, C. (721) 83
Romand, R., see Zine, A. (721) 49

ELSEVIER

Brain Research 721 (1996) 238–239

BRAIN RESEARCH

Author Index

Barth, D.S., see Brett, B. (721) 155
Begnini, J., see De Mello, C.F. (721) 120
Behrends, S., see Kummer, W. (721) 191
Bernard, C., see Rossi, M.L. (721) 174
Bezin, L., see Ginovart, N. (721) 11
Billington, C.J., see Welch, C.C. (721) 126
Black, I.B., see Schaar, D.G. (721) 217
Boddeke, H.W.G.M., see Boeijinga, P.H. (721) 59
Boeijinga, P.H. and Boddeke, H.W.G.M.
Activation of 5-HT_{1B} receptors suppresses low but not high frequency synaptic transmission in the rat subicular cortex in vitro (721) 59
Brett, B., Krishnan, G. and Barth, D.S.
The effects of subcortical lesions on evoked potentials and spontaneous high frequency (gamma-band) oscillating potentials in rat auditory cortex (721) 155

Chan, J.Y.H., see Shih, C.-D. (721) 76
Chan, S.H.H., see Shih, C.-D. (721) 76
Chang, D.S., see Waikar, S.S. (721) 91
Coulter, D.A., see Vick, R.S. (721) 111
Cynader, M.S., see Yang, B. (721) 181

Da Costa, E.Jr.M., see De Mello, C.F. (721) 120
De Bastiani, J., see De Mello, C.F. (721) 120
DeLorenzo, R.J., see Vick, R.S. (721) 111
De Mello, C.F., Begnini, J., Jiménez-Bernal, R.E., Rubin, M.A., De Bastiani, J., Da Costa, E.Jr.M. and Wajner, M.
Intrastriatal methylmalonic acid administration induces rotational behavior and convulsions through glutamatergic mechanisms (721) 120
Dissanayake, S., see Smalheiser, N.R. (721) 39
Doležal, V., Huang, H.Y., Schobert, A. and Hertting, G.
3,4-Diaminopyridine masks the inhibition of noradrenaline release from chick sympathetic neurons via presynaptic α_2-adrenoceptors: insights into the role of N- and L-type calcium channels (721) 101
Dreyfus, C.F., see Schaar, D.G. (721) 217
Dun, E.C., Huang, R.L., Dun, S.L. and Dun, N.J.
Pituitary adenylate cyclase activating polypeptide-immunoreactivity in human spinal cord and dorsal root ganglia (721) 233

Dun, N.J., see Dun, E.C. (721) 233
Dun, S.L., see Dun, E.C. (721) 233

Elkabes, S., see Schaar, D.G. (721) 217

Ferrary, E., see Rossi, M.L. (721) 174
Fesce, R., see Rossi, M.L. (721) 174
Fischer, A., see Kummer, W. (721) 191
Fochtmann, L., see Francis, A. (721) 150
Francis, A. and Fochtmann, L.
Genetic variation in immediate and delayed postictal refractory period in rats (721) 150
Furuya, Y., see Kagaya, T. (721) 229

Gabriel, M., see Kubota, Y. (721) 22
Gagne, C., see Ginovart, N. (721) 11
Garcia, C., see Ginovart, N. (721) 11
Gibb, J.W., see Wagstaff, J.D. (721) 196
Ginovart, N., Marcel, D., Bezin, L., Garcia, C., Gagne, C., Pujol, J.F. and Weissmann, D.
Tyrosine hydroxylase expression within Balb/C and C57Black/6 mouse locus coeruleus. I. Topological organization and phenotypic plasticity of the enzyme-containing cell population (721) 11
Grace, M.K., see Welch, C.C. (721) 126

Hanson, G.R., see Wagstaff, J.D. (721) 196
Hashimoto, T., see Kagaya, T. (721) 229
Hertting, G., see Doležal, V. (721) 101
Hökfelt, T., see Ji, R.-R. (721) 167
Huang, H.Y., see Doležal, V. (721) 101
Huang, J.H., see Waikar, S.S. (721) 91
Huang, R.L., see Dun, E.C. (721) 233

Jakoi, E.R., see Vick, R.S. (721) 111
Ji, R.-R., Shi, T.-J., Xu, Z.-Q., Zhang, Q., Sakagami, H., Tsubochi, H., Kondo, H. and Hökfelt, T.
Ca^{2+}/calmodulin-dependent protein kinase type IV in dorsal root ganglion: colocalization with peptides, axonal transport and effect of axotomy (721) 167
Jiménez-Bernal, R.E., see De Mello, C.F. (721) 120
Jourdan, F., see Sallaz, M. (721) 66

Kagaya, T., Yonaga, M., Furuya, Y., Hashimoto, T., Kuroki, J. and Nishizawa, Y.
Dopamine D_3 agonists disrupt social behavior in rats (721) 229
Kang, E., see Kubota, Y. (721) 22
Kapil, A., see Smalheiser, N.R. (721) 39
Kim, E.-M., see Welch, C.C. (721) 126
Koesling, D., see Kummer, W. (721) 191
Kondo, H., see Ji, R.-R. (721) 167
Krishnan, G., see Brett, B. (721) 155
Kubota, Y., Wolske, M., Poremba, A., Kang, E. and Gabriel, M.
Stimulus-related and movement-related single-unit activity in rabbit cingulate cortex and limbic thalamus during performance of discriminative avoidance behavior (721) 22
Kummer, W., Behrends, S., Schwarzlmüller, T., Fischer, A. and Koesling, D.
Subunits of soluble guanylyl cyclase in rat and guinea-pig sensory ganglia (721) 191
Kuroki, J., see Kagaya, T. (721) 229

Lee, S., see Rivier, C. (721) 83
Levine, A.S., see Welch, C.C. (721) 126

Marcel, D., see Ginovart, N. (721) 11
Martini, A., see Rossi, M.L. (721) 174
Martini, M., see Rossi, M.L. (721) 174
Masukawa, L.M., Wang, H., O'Connor, M.J. and Uruno, K.
Prolonged field potentials evoked by 1 Hz stimulation in the dentate gyrus of temporal lobe epileptic human brain slices (721) 132
Miczek, K.A., see Tidey, J.W. (721) 140

Nishizawa, Y., see Kagaya, T. (721) 229

O'Connor, M.J., see Masukawa, L.M. (721) 132

Pelucchi, B., see Rossi, M.L. (721) 174
Poremba, A., see Kubota, Y. (721) 22
Pujol, J.F., see Ginovart, N. (721) 11

Rafiq, A., see Vick, R.S. (721) 111
Ramakrishnan, L., see Schaar, D.G. (721) 217
Raymond, S.A., see Waikar, S.S. (721) 91
Rivier, C., Rivier, J. and Lee, S.
Importance of pituitary and brain receptors for corticotrophin-releasing factor in modulating alcohol-induced ACTH secretion in the rat (721) 83
Rivier, J., see Rivier, C. (721) 83
Romand, R., see Zine, A. (721) 49

Rossi, M.L., Ferrary, E., Martini, A., Martini, M., Pelucchi, B., Bernard, C., Teixeira, M., Sterkers, O. and Fesce, R.
The effect of clofilium, a K-channel blocker, on the electrogenic K secretion and the sensory discharge at the frog semicircular canal (721) 174
Rubin, M.A., see De Mello, C.F. (721) 120

Sakagami, H., see Ji, R.-R. (721) 167
Sallaz, M. and Jourdan, F.
Odour-induced c-*fos* expression in the rat olfactory bulb: involvement of centrifugal afferents (721) 66
Schaar, D.G., Varia, M.R., Elkabes, S., Ramakrishnan, L., Dreyfus, C.F. and Black, I.B.
The identification of a novel cDNA preferentially expressed in the olfactory-limbic system of the adult rat (721) 217
Schobert, A., see Doležal, V. (721) 101
Schwarzlmüller, T., see Kummer, W. (721) 191
Schweitzer, L., see Zine, A. (721) 1
Shi, T.-J., see Ji, R.-R. (721) 167
Shih, C.-D., Chan, S.H.H. and Chan, J.Y.H.
Participation of endogenous galanin in the suppression of baroreceptor reflex response by locus coeruleus in the rat (721) 76
Smalheiser, N.R., Dissanayake, S. and Kapil, A.
Rapid regulation of neurite outgrowth and retraction by phospholipase A_2-derived arachidonic acid and its metabolites (721) 39
Song, W. and Zimmer, D.B.
Expression of the rat S100A1 gene in neurons, glia, and skeletal muscle (721) 204
Sterkers, O., see Rossi, M.L. (721) 174
Strichartz, G.R., see Waikar, S.S. (721) 91

Teixeira, M., see Rossi, M.L. (721) 174
Thalhammer, J.G., see Waikar, S.S. (721) 91
Tidey, J.W. and Miczek, K.A.
Social defeat stress selectively alters mesocorticolimbic dopamine release: an in vivo microdialysis study (721) 140
Tsubochi, H., see Ji, R.-R. (721) 167

Uruno, K., see Masukawa, L.M. (721) 132

Varia, M.R., see Schaar, D.G. (721) 217
Vick, R.S., Rafiq, A., Coulter, D.A., Jakoi, E.R. and DeLorenzo, R.J.
$GABA_A$ $\alpha 2$ mRNA levels are decreased following induction of spontaneous epileptiform discharges in hippocampal-entorhinal cortical slices (721) 111

Wagstaff, J.D., Gibb, J.W. and Hanson, G.R.
Dopamine D_2-receptors regulate neurotensin release from nucleus accumbens and striatum as measured by in vivo microdialysis (721) 196
Waikar, S.S., Thalhammer, J.G., Raymond, S.A., Huang, J.H., Chang, D.S. and Strichartz, G.R.
Mechanoreceptive afferents exhibit functionally-specific activity dependent changes in conduction velocity (721) 91
Wajner, M., see De Mello, C.F. (721) 120
Wang, H., see Masukawa, L.M. (721) 132
Wang, Y., see Yang, B. (721) 181
Weissmann, D., see Ginovart, N. (721) 11
Welch, C.C., Kim, E.-M., Grace, M.K., Billington, C.J. and Levine, A.S.
Palatability-induced hyperphagia increases hypothalamic Dynorphin peptide and mRNA levels (721) 126
Wolske, M., see Kubota, Y. (721) 22

Xu, Z.-Q., see Ji, R.-R. (721) 167

Yang, B., Wang, Y. and Cynader, M.S.
Synergistic interactions between noradrenaline and glutamate in cytosolic calcium influx in cultured visual cortical neurons (721) 181
Yonaga, M., see Kagaya, T. (721) 229

Zhang, Q., see Ji, R.-R. (721) 167
Zimmer, D.B., see Song, W. (721) 204
Zine, A. and Romand, R.
Development of the auditory receptors of the rat: a SEM study (721) 49
Zine, A. and Schweitzer, L.
Development of intracellular Ca-ATPase in the gerbil outer hair cell lateral wall (721) 1